

# Delock HDMTD single + Powerpin plug angled for PCB

## Description

This adapter by Delock is suitable for connecting components of electronic technology and electronic in vehicles.

## Power over HDMTD

With +6 power pins this HDMTD connector has an additional power supply. In addition to the data signal the power is transmitted on separate conductors (power pins) to supply the terminal device with power.

## Note

- Compatible to H-MTD®



**Item no. 90328**

EAN: 4043619903283

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag


## Technical details

- Connector: 1 x HDMTD plug 90° + Powerpin PCB
- HDMTD Z: RAL 5021 Water blue
- Pin: brass
- Insulator: LCP
- Plastic shell: PA46
- Soldering process: THT
- Frequency range: DC - 10 GHz
- Impedance: 100 Ohm
- Mating Cycles:  $\geq 25$
- Dimensions (LxWxH): ca. 26 x 21 x 13 mm

## Package content

- HDMTD plug

## Images



## Interface

|              |                        |
|--------------|------------------------|
| Connector 1: | 1 x HDMTD plug 90° PCB |
|--------------|------------------------|

## Technical characteristics

|                  |             |
|------------------|-------------|
| Frequency range: | DC - 10 GHz |
| Impedance:       | 100 Ohm     |