

Ernitec 0070-06405 security camera Bullet IP security camera Indoor & outdoor 2720 x 1976 pixels Ceiling/Wall/Pole



Brand : Ernitec

Product code: 0070-06405

Product name : 0070-06405

- 1/2.7" Progressive Scan CMOS
- 2720 x 1976 @ 30fps HDR (5MP)
- ONVIF Profile S/ G/ T/M support
- Multi Codec support (H.265/ H.264/ MJPEG)
- IR LED working distance up to 45m
- 3D DNR
- POE (IEEE 802.3af)
- All Aluminium Housing
- IP66, IK10
- 5 Year Warranty

Halo Pro 5MP Bullet Camera with 2.7-12mm Motorized Lens & IR 45m, PoE, IP66, IK10 - NDAA

[Ernitec 0070-06405 security camera Bullet IP security camera Indoor & outdoor 2720 x 1976 pixels Ceiling/Wall/Pole:](#)

HALO-SX-405M

Ernitec 0070-06405. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling/Wall/Pole, Product colour: White, Form factor: Bullet. Minimum illumination: 0.008 lx, Camera pixel size: 2 µm, Camera shutter speed: 1~1/10.000 s. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"), Number of effective pixels (H x V): 2720 x 1976 pixels. Focal length range: 2.7 - 12 mm, Focus: Motorized/Manual

Performance		Video	
Type *	IP security camera	Noise reduction technology	3D noise reduction
Placement supported *	Indoor & outdoor	Audio	
Connectivity technology *	Wired	Audio system	2-way
Day/night mode	✓	Audio input channels	1.0 channels
Infrared (IR) cut-off filter	✓	Audio output channels	1.0 channels
Alarm input/output	✓	Audio formats supported	AAC, G.711, G.726, LPCM
Remote viewing	✓	Audio detection	✓
Design		Network	
Form factor *	Bullet	Ethernet LAN *	✓
Mounting type *	Ceiling/Wall/Pole	Networking standards	IEEE 802.1x
Product colour *	White	Storage	
Housing material	Metal	Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC
International Protection (IP) code	IP66	Ports & interfaces	
IK code	IK10	Ethernet LAN (RJ-45) ports	1
Country of origin	Taiwan	Terminal block port	✓
Camera		DC-in jack	✓
Minimum illumination	0.008 lx	Security	
Camera pixel size	2 µm	Alarm input channels	1
Camera shutter speed	1~1/10.000 s	Alarm output channels	1
Image sensor		Video motion detection	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Security algorithms	HTTPS
Progressive scan	✓	Network access storage (NAS)	✓
Sensor type *	CMOS	Management features	
Number of effective pixels (H x V)	2720 x 1976 pixels	Remotely operated	✓
Lens system		Power	
Zoom capability	✓	Power source type *	PoE
Focal length range	2.7 - 12 mm		
Auto focus	✓		

Lens system		Power	
Focus	Motorized/Manual	Power consumption (max)	13.97 W
Night vision		Power consumption (Power over Ethernet (PoE))	12.95 W
Night vision *	✓	DC output voltage	12
Night vision distance	45 m	Operational conditions	
Infra-red wavelength	850 nm	Operating temperature (T-T)	-30 - 55 °C
Video		Operating relative humidity (H-H)	10 - 90%
Maximum resolution *	2720 x 1976 pixels	Weight & dimensions	
Total megapixels *	5 MP	Width	234 mm
Video compression formats	H.264, H.265, M-JPEG	Diameter	10.5 cm
Frame rate	30 fps	Weight	1.28 kg
Analog signal format system	NTSC, PAL	Packaging data	
Video streaming	✓	Package weight	3 kg
Noise reduction	✓	Packaging content	
		Number of cameras *	1
Other features			
		Warranty period	5 year(s)



5715063019870

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.