




HP Color Laserjet Ent Flow MFP 8801z A3 70S. Col. MF Fax Netzwerk Laser 1200 x 1200 DPI 60 ppm Wi-Fi

Brand : HP

Product code: 9S183A#B19

Product name : Color Laserjet Ent Flow MFP 8801z A3 70S. Col. MF Fax Netzwerk

HP Color Laserjet Ent Flow MFP 8801z A3 70S. Col. MF Fax Netzwerk. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 60 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Colour faxing. Duplex functions: Print. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: Blue, White



Printing		Paper handling	
Duplex printing mode	Auto	Paper tray media weight	60 - 325 g/m ²
Print resolution colour	1200 x 1200 DPI	Envelope feeder	No
Print resolution black	1200 x 1200 DPI	Ports & interfaces	
Print technology *	Laser	Direct printing *	✓
Printing *	Colour printing	USB port	✓
Duplex printing *	✓	USB 2.0 ports quantity	1
Maximum resolution *	1200 x 1200 DPI	USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	2
Print speed (black, normal quality, A4/US Letter) *	60 ppm	Network	
Print speed (colour, normal quality, A4/US Letter)	60 ppm	Wi-Fi *	✓
Print speed (black, normal quality, A3)	30 ppm	Ethernet LAN *	✓
Print speed (colour, normal quality, A3)	30 ppm	Cabling technology	10/100/1000Base-T(X)
Warm-up time	100 s	Ethernet LAN data rates	10,100,1000 Mbit/s
Time to first page (black, normal)	5.7 s	Wi-Fi Direct	✓
Time to first page (colour, normal)	6.5 s	Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, HTTPS
N-in-1 print function	✓	Mobile printing technologies	Mopria Print Service, Apple AirPrint
Watermark printing	✓	Performance	
Secure printing	✓	Maximum internal memory	6144 MB
Copying		Internal storage capacity	500 GB
Duplex copying *	✓	Internal memory *	6144 MB
Duplex copying mode	Auto	Built-in processor	✓
Copying *	Colour copying	Processor frequency	1600 MHz
Maximum copy resolution *	600 x 600 DPI	Sound pressure level (printing)	54 dB
Maximum copy size	A4	Sound power level (printing)	60 dB
Copy speed (black, normal quality, A4)	60 cpm	Design	
Copy speed (colour, normal quality, A4)	60 cpm	Product colour *	Blue, White
Copy speed (black, normal quality, A3)	30 cpm	Market positioning *	Business
		Built-in display *	✓
		Display	CGD

Copying		Design	
Copy speed (colour, normal quality, A3)	30 cpm	Display diagonal	25.6 cm (10.1")
Time to first copy (black, normal)	3.2 s	Control type	Touch
Time to first copy (colour, normal)	4.2 s	Colour display	✓
Maximum number of copies	9999 copies	Power	
Copier resize	25 - 400%	Power consumption (PowerSave)	0.12 W
N-in-1 copy function	✓	Power consumption (printing)	13.14 W
Auto fit function	✓	Power consumption (ready)	36.29 W
Stamp function	✓	Power consumption (sleep)	0.74 W
Watermark copying	✓	Power consumption (off)	0.12 W
Scanning		AC input voltage	100 - 240 V
Duplex scanning *	✓	AC input frequency	50/60 Hz
Duplex scanning mode	Auto	Brand-specific features	
Scanning *	Colour scanning	HP Dynamic security	✓
Optical scanning resolution *	600 x 600 DPI	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	
Maximum scan resolution	600 x 600 DPI		
Maximum scan area	297 x 432 mm		
Scanner type *	Flatbed scanner		
Scan technology	CIS/CCD		
Scan to	Network folder, USB		
Image formats supported	JPEG, MTIFF, TIFF		
Document formats supported	CSV, DOCX, HTML, PDF, RTF, UNICODE, XLSX, XML, XPS		
Input colour depth	24 bit		
Greyscale levels	256		
Scan drivers	TWAIN	HP Security tools	
Fax		System requirements	
Faxing *	Colour faxing	Windows operating systems supported	Windows 8, Windows 8.1, Windows 10, Windows 11
Fax resolution (black)	300 x 300 DPI	Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Fax transmission speed	3 sec/page	Other operating systems supported	Android, iOS
Modem speed	33.6 Kbit/s	Operational conditions	
Fax memory	500 pages	Operating relative humidity (H-H)	20 - 80%
Auto-redialing	✓	Recommended humidity operating range	20 - 80%
Speed dialling	✓	Recommended operating temperature range (T-T)	15 - 30 °C
Fax forwarding	✓	Storage temperature (T-T)	-10 - 40 °C
Fax delayed sending	✗	Operating temperature (T-T)	15 - 30 °C
Auto reduction	✓		
Features			
Recommended duty cycle	0 - 60000 pages per month		
Maximum duty cycle *	250000 pages per month		
Duplex functions *	Print		
Digital sender	✓		
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PostScript 3, PDF 1.7, PCL 5c, PCL 6		
Printer fonts	Scalable, TrueType		
All-In-One-multitasking	✓		
Country of origin	Brazil, China, Czech Republic, Mexico		
HP segment	Business		
Input & output capacity			
Total number of input trays *	5		
Total input capacity *	2180 sheets		
Total output capacity *	500 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	520 sheets		
Multi-Purpose tray	✓		

Input & output capacity		Certificates	
Multi-Purpose tray input capacity	100 sheets	Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	300 sheets		
Maximum number of input trays	5		
Maximum input capacity	2180 sheets		
Maximum output capacity	500 sheets		
Paper handling		Sustainability	
Maximum ISO A-series paper size *	A3	Sustainability compliance	✓
Maximum print size	311.5 x 448.7 mm	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT, Forest Stewardship Council (FSC)
Paper tray media types *	Plain paper, Glossy paper, Bond paper, Recycled paper, Matte paper, Envelopes, Labels, Transparencies, Heavy paper, Lightweight paper, Letterhead	Weight & dimensions	
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Width	585 mm
ISO B-series sizes (B0...B9)	B5, B6	Depth	695 mm
Non-ISO print media sizes	Oficio, 16K	Height	1189 mm
JIS B-series sizes (B0...B9)	B4, B5, B6	Weight	131.4 kg
Envelopes sizes	B5, C5, C6, DL	Packaging data	
Photo paper sizes	10x15 cm	Package width	890 mm
Custom media width	98 - 320 mm	Package depth	972 mm
Custom media length	139.7 - 457.2 mm	Package height	1394 mm
		Package weight	170.9 kg
		Packaging content	
		Cables included	AC
		Quick installation guide	✓
		Logistics data	
		Harmonized System (HS) code	8443310000
		Pallet gross weight	170.9 kg
		Layers per pallet	1 pc(s)
		Products per pallet	1 pc(s)
		Technical details	
		Box contents	Installation guide; regulatory flyer; power cords; keyboard/overlay for z/z+; manual
		Master (outer) cases per pallet layer	1 pc(s)
		Compliance certificates	GS mark, CCC, BIS, cUL, UL, CE, BSMI
		Other features	
		Custom media sizes	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 297 x 241.5 mm; Tray 3: 140 x 182 to 320 x 457.2 mm; Tray 4: 140 x 182 to 320 x 457.2 mm; Tray 5: 140 x 182 to 320 x 457.2 mm
		Pallet dimensions (W x D x H)	890 x 972 x 1394 mm
		Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port; Internet browser.
		Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 13 Ventura; MacOS v14 Sonoma; macOS 12 Monterey; Windows 8.1
		Pallet dimensions (W x D x H) (imperial)	889 x 972.8 x 1394.5 mm (35 x 38.3 x 54.9")
		Pallet weight (imperial)	170.9 kg (376.8 lbs)

Other features

Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	0.901 kWh/Week
UNSPSC-code	43212110
	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries
Electromagnetic compatibility	



0198828505552



198828505552

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2026. Prints or copies of Information are only valid on the printed Publication date