

Brother DCP-L8630CDW multifunction printer Laser A4 2400 x 600 DPI 31 ppm Wi-Fi

Brand : Brother

Product code: DCP-L8630CDW

Product name : DCP-L8630CDW

Brother DCP-L8630CDW. Print technology: Laser, Printing: Colour printing, Maximum resolution: 2400 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 31 ppm. Copying: Colour copying, Maximum copy resolution: 1200 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 19200 x 19200 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Grey




Printing		Paper handling	
Duplex printing mode	Auto/Manual	Custom media length	116 - 355.6 mm
Print technology *	Laser	Paper tray media weight	60 - 105 g/m ²
Printing *	Colour printing	Multi-Purpose Tray media weight	60 - 163 g/m ²
Duplex printing *	✓	Ports & interfaces	
Maximum resolution *	2400 x 600 DPI	Direct printing *	✓
Print speed (black, normal quality, A4/US Letter) *	31 ppm	USB port	✓
Print speed (colour, normal quality, A4/US Letter)	31 ppm	USB 2.0 ports quantity	1
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Network	
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm	Wi-Fi *	✓
Time to first page (black, normal)	9.9 s	Ethernet LAN *	✓
N-in-1 print function	✓	Cabling technology	10/100/1000Base-T(X)
N-up printing	2, 4, 9, 16, 25, 6	Ethernet LAN data rates	10,1000,100 Mbit/s
Barcode printing	✓	Wi-Fi standards	802.11a, 802.11b, Wi-Fi 4 (802.11n), 802.11g
Watermark printing	✓	Wi-Fi Direct	✓
Secure printing	✓	Security algorithms	SSL/TLS, 802.1x RADIUS, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS, SNMP, IPSec, 64-bit WEP, 128-bit WEP, WPA-PSK, TKIP, AES, WPA2-PSK, WPA3-SAE
Poster printing function	✓		ARP, RARP, BOOTP, DHCP, APIPA (AutoIP), WINS/NetBIOS name resolution, DNS resolver, mDNS, LLNMR receiver, LPR/LPD, custom raw port/Port9100, SMTP client, IPP/PPS, FTP client, FTP server, CIFS client, TELNET server, SNMPv1/v2c/v4, HTTP/HTTPS server, TF
Copying		Supported network protocols (IPv4)	
Copying *	Colour copying		
Maximum copy resolution *	1200 x 600 DPI		
Maximum copy size	A4		
Copy speed (black, normal quality, A4)	31 cpm		
Time to first copy (black, normal)	12.5 s		
Time to first copy (colour, normal)	12.5 s		
Maximum number of copies	999 copies		

Copying		Network			
Copier resize	25 - 400%	Supported network protocols (IPv6)	NDP, RA, DNS Resolver, mDNS, LLMNR Receiver, LPR/LPD, Custom Raw Port / Port9101, IPP/IPPS, SMTP Client, FTP Client, FTP Server, CIFS Client, TELNET Server, SNMPv1/v2c/v4, HTTP/HTTPS Server, TFTP Client, TFTP Server, ICMPv7, Web Services (Print), Web Services (S)		
N-in-1 copy function	✓				
N-in-1 copy function (N=)	2, 4				
Scanning		Mobile printing technologies	Apple AirPrint, Brother Mobile Connect, Mopria Print Service		
Scanning *	Colour scanning				
Optical scanning resolution *	19200 x 19200 DPI				
Optical scanning resolution (ADF)	600 x 600 DPI	Performance	512 MB		
Maximum scan area	215.9 x 297 mm				
Scanner type *	Flatbed & ADF scanner				
Scan technology	CIS	Built-in processor	✓		
Scan to	USB, E-mail Server, Network folder, FTP, Image, OCR, E-mail, HTTP	Processor frequency	1200 MHz		
Image formats supported	TIFF, JPEG	Design			
Document formats supported	PDF	Product colour *	Grey		
Input colour depth	48 bit	Market positioning *	Business		
Output colour depth	24 bit	Built-in display *	✓		
Input greyscale depth	16 bit	Display	LCD		
Output greyscale depth	8 bit	Display diagonal	8.89 cm (3.5")		
Greyscale levels	256	Control type	Touch		
Scan drivers	WIA, TWAIN, SANE	Colour display	✓		
Fax		Power			
Faxing *	✗	Power consumption (PowerSave)	330 W		
Features		Power consumption (printing)	540 W		
Recommended duty cycle	0 - 5000 pages per month	Power consumption (copying)	540 W		
Maximum duty cycle *	60000 pages per month	Power consumption (ready)	60 W		
Duplex functions *	Print	Power consumption (standby)	8.4 W		
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (sleep)	0.53 W		
Page description languages	BR-Script 3, PDF, PCL 6	Power consumption (off)	0.04 W		
Printer fonts	PostScript, PCL, Bitmap	Energy Star Typical Electricity Consumption (TEC)	0.43 kWh/week		
Number of PCL fonts	73	AC input voltage	220 - 240 V		
Number of PostScript fonts	66	AC input frequency	50/60 Hz		
Number of barcode fonts	16	System requirements			
Number of bitmap fonts	12	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64		
Input & output capacity				Mac operating systems supported	Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
Total number of input trays *	1			Linux operating systems supported	✓
Total input capacity *	250 sheets	Server operating systems supported	Windows Server 2022, Windows Server 2019, Windows Server 2016		
Total output capacity *	150 sheets	Other operating systems supported	ChromeOS		
Multi-Purpose tray	✓	Operational conditions			
Multi-Purpose tray input capacity	50 sheets	Operating relative humidity (H-H)	20 - 80%		
Auto document feeder (ADF)	✓	Storage temperature (T-T)	0 - 40 °C		
Auto document feeder (ADF) input capacity	80 sheets	Operating temperature (T-T)	10 - 32.5 °C		
Paper handling		Storage relative humidity (H-H)	36 - 85%		
Maximum ISO A-series paper size *	A4	Sustainability			
Paper tray media types *	Thin paper, Plain paper, Thick paper, Recycled paper, Bond paper, Labels, Envelopes, Glossy paper	Sustainability certificates	Blue Angel, Nordic Swan Ecolabel		
ISO A-series sizes (A0...A9) *	A4, A5, A6				
Non-ISO print media sizes	Letter, Legal, Executive				
Envelopes sizes	C5, Com-10, DL, Monarch				
Custom media width	76.2 - 216 mm				

Weight & dimensions	
Width	404 mm
Depth	473 mm
Height	460 mm
Weight	25.6 kg
Packaging data	
Package width	650 mm
Package depth	560 mm
Package height	643 mm
Package weight	33.5 kg
Packaging content	
Cables included	AC
Warranty card	✓
User guide	✓
Technical details	
Compliance certificates	GS mark
Other features	
Noise level	49 dB



4977766841313



4977766835565

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.