



HP Poly Poly OBi VVX 450 12-Line IP Phone and PoE-enabled

Brand : HP Poly

Product code: 89B60AA

Product name : Poly OBi VVX 450 12-Line IP Phone and PoE-enabled



- Hear every nuance on the VVX 450 with Poly HD Voice technology. And reduce distracting background noise with Poly Acoustic Fence technology.
 - IT will appreciate zero-touch provisioning and web-based management capabilities that take the headache out of telephony deployment and support.
 - Your phones stay cleaner for longer with integrated Microban antimicrobial product protection^[1] actively reducing the growth of bacteria 24/7.
- Poly OBi VVX 450 12-Line IP Phone and PoE-enabled

[HP Poly Poly OBi VVX 450 12-Line IP Phone and PoE-enabled:](#)


Go pro without the price tag

When you want the best small business 12-line phone system for your money, the VVX 450 is full of good surprises. Handle high volume calls easily with the sleek, color display — and be confident conversations will always sound great.

Design		Network	
Product type *	IP Phone	Security algorithms	802.1x RADIUS, HTTPS, TLS
Handset type	Wired handset	Syslog	✓
Product colour *	Black	Technical details	
Phone features		Warranty period	1 year(s)
Lines quantity *	12 lines	Ports & interfaces	
Call waiting	✓	USB 2.0 ports quantity	2
Distinctive ring	✓	Ethernet LAN (RJ-45) ports	2
Speed dialling	✓	Certificates	
Call hold	✓	Sustainability certificates	ENERGY STAR
Call forwarding	✓	Safety	UL 60950-1/62368-1, CE Mark, CAN/CSA C22.2 No
Conference call	✓		60950-1/62368-1-1, EN 60950-1/62368-1, IEC 60950-1/62368-1, AS/NZS 60950-1
Redialing	✓	Certification	FCC Part 15 (CFR 47) Class B ICES-003 Class B EN55032 Class B CISPR32 Class B VCCI Class B EN55024 EN61000-3-2; EN61000-3-3 NZ Telepermit Korea KCC3 UAE TRA Russia CU3 Brazil ANATEL3 Australia RCM South Africa ICASA3 Saudi Arabia CITC China CCC3 RoHS Compliant TAA
Do not disturb function	✓		
Call transfer	✓		
Display			
Display	LED		
Display diagonal	10.9 cm (4.3")		
Display resolution	480 x 272 pixels		
Touchscreen *	✗		
Audio		Power	
Speakerphone *	✓	Power over Ethernet (PoE) *	✓
Voice codecs	G.711, G.722, G.722.1, G.729ab, OPUS, iLBC	AC adapter output voltage	5 V
Voice activity detection	✓	AC adapter output current	3 A
Comfort noise generation (CNG)	✓	Operational conditions	
Network		Operating temperature (T-T)	0 - 40 °C
Ethernet LAN *	✓	Operating relative humidity (H-H)	5 - 95%
Ethernet LAN interface type	Gigabit Ethernet	Storage temperature (T-T)	-40 - 70 °C
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight & dimensions	
Quality of Service (QoS) support	✓	Width	240 mm
		Depth	57 mm
		Height	230 mm
		Weight	1.04 kg

Packaging content

Number of handles included *	1 pc(s)
AC adapter included	✓



0196188444887



196188444887



0610807887478



610807887478

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.