



DELL PowerEdge T360 server 480 GB Tower (4.5U) Intel Xeon 6 6325P 3.5 GHz 32 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code: VMCCW

Product name : T360

- No OS

- Intel Xeon 6 6325P (12MB Cache, 3.5GHz)

- 32GB DDR5-SDRAM (1 x 32) & 480GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon 6 6325P (12MB Cache, 3.5GHz), 32GB DDR5-SDRAM, 480GB SSD, LAN (Broadcom 5720),

PERC H755 Adapter FH, iDRAC9, Enterprise 16G, 700W, No OS

DELL PowerEdge T360 server 480 GB Tower (4.5U) Intel Xeon 6 6325P 3.5 GHz 32 GB DDR5-SDRAM 700 W:

Processing performance, GPU support

The 4.5U, single-socket PowerEdge T360 is a specially designed form factor for customers desiring versatility, affordability, and processing power.

DELL PowerEdge T360. Processor family: Intel Xeon 6, Processor frequency: 3.5 GHz, Processor model: 6325P. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 32 GB. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 700 W. Chassis type: Tower (4.5U)



Processor		Ports & interfaces	
Processor manufacturer *	Intel	Power cables quantity	2
Processor family *	Intel Xeon 6	Expansion slots	
Processor model *	6325P	PCI Express x4 slots	2
Processor frequency *	3.5 GHz	Design	
Processor boost frequency	5.2 GHz	Chassis type *	Tower (4.5U)
Performance cores	4	Product colour	Black
Processor cache	12 MB	Bezel	✓
Number of processors installed	1	Performance	
Thermal Design Power (TDP)	55 W	Remote administration	iDRAC9, Enterprise 16G
System bus rate	16 GT/s	Software	
Processor threads	8	Operating system installed *	✗
Memory types supported by processor	DDR5-SDRAM	Compatible operating systems *	Canonical Ubuntu Server LTS
Memory clock speeds supported by processor	4800 MHz		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi
Memory		Power	
Internal memory *	32 GB	Redundant power supply (RPS) support *	✗
Internal memory type *	DDR5-SDRAM	Power supply *	700 W
Buffered memory type	Unregistered (unbuffered)	Number of main power supplies	1
Memory slots	4x DIMM	Power supply input voltage	200 - 240 V
ECC	✓	Operational conditions	
Memory layout (slots x size)	1 x 32 GB	Storage temperature (T-T)	-40 - 65 °C
Memory data transfer rate	5600 MT/s	Storage relative humidity (H-H)	5 - 95%
Maximum internal memory *	128 GB	Operating altitude	0 - 2048 m
Storage		Non-operating altitude	0 - 12000 m
Total storage capacity *	480 GB		
Number of SSDs installed	1		
SSD capacity	480 GB		

Storage		Certificates	
SSD size	2.5"	80 PLUS certification	80 PLUS Titanium
Supported SSD sizes	3.5"	Carbon footprint	
Number of SSDs supported	8	Total carbon footprint (kg of CO2e)	1409
RAID support *	✓	Total carbon emissions, standard deviation (kg of CO2e)	1213
Supported RAID controllers	PERC H755 Adapter FH	Carbon emissions, manufacturing (kg of CO2e)	295.89
Hot-Plug support	✓	Carbon emissions, logistics (kg of CO2e)	154.99
Optical drive type *	✗	Carbon emissions, energy usage (kg of CO2e)	929.94
Drive writes per day (DWPD)	1	Carbon emissions, end-of-life (kg of CO2e)	28.18
Storage drive adapter included	✓	PAIA version	PAIA 1.4.0, 2024
Storage drive adapter type	2.5" - 3.5"	Weight & dimensions	
Network		Width	175 mm
LAN controller	Broadcom 5720	Depth	581.1 mm
Ethernet LAN	✓	Packaging content	
Cabling technology	10/100/1000Base-T(X)	Packaging content	European Power Cord 220V
Ethernet interface type	Gigabit Ethernet	Other features	
Ports & interfaces		Data transfer rate	6 Gbit/s
Ethernet LAN (RJ-45) ports *	2	Bytes per sector	512e
USB 2.0 ports quantity	3	Target workload	Read Intensive (RI)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4		
VGA (D-Sub) ports quantity	1		
Serial ports quantity	1		



5397184969687

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.