Brother DS-640 scanner Handheld scanner 1200 x 1200 DPI A4 Black, White

Brand : Brother

Product code: DS-640

Product name : DS-640



- 1-sided A4 scanning up to 15 pages per minute
- Industry leading software to scan documents, receipts and ID cards
- Power directly from a USB 3.0 port on PC

Scan and go with the DSmobile DS-640. Ideal for scanning single-sided documents when on the move or when you have limited desk space.



Brother DS-640 scanner Handheld scanner 1200 x 1200 DPI A4 Black, White:

Make scanning, saving and sharing your documents effortless. The small, compact design, makes the DSmobile DS-640 ideal where space is limited. Whether on a reception desk or when you are out of the office, reducing the amount of paperwork and ensuring document security is always key. A great choice for reception areas, small offices and working on the go.

Scanning	
Maximum scan size *	215.9 x 1828.8 mm
Optical scanning resolution *	1200 x 1200 DPI
Enhanced scan resolution	1200 x 1200 DPI
Colour scanning	✔
Duplex scanning *	✘
Output colour depth	24 bit
Output greyscale depth	8 bit
Output monochrome depth	1 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	15 ppm
ADF scan speed (colour, A4)	15 ppm
Black/white scanning colour modes	Grayscale

Design	
Scanner type *	Handheld scanner
Product colour *	Black, White
Built-in display *	✘

Performance	
Sensor type *	CIS
Scan to	E-mail, File, Image, OCR
Scan drivers	SANE, TWAIN, WIA
Scanning noise level	53 dB
Sound pressure level (max)	42 dB

Paper handling	
Scanning media types supported	Plain paper, Plastic Card
Long-paper mode	✔
Maximum ISO A-series paper size *	A4
Card thickness (max)	1.24 mm
Auto Document Feeder (ADF) media weight	35 - 270 g/m²

Weight & dimensions	
Width	162 mm
Depth	76 mm
Height	377 mm
Weight	390 g

Packaging data	
Quantity per pack	1 pc(s)
Package width	377 mm
Package depth	162 mm
Package height	76 mm
Package weight	1.02 kg

Packaging content	
Warranty card	✔
Cables included	Micro-USB
Quick start guide	✔

Ports & interfaces	
USB port *	✔
USB version	3.2 Gen 1 (3.1 Gen 1)
USB connector type	Micro-USB B
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Power	
Power supply type *	USB
Power consumption (typical)	2.3 W
Power consumption (standby)	1.3 W
Power consumption (off)	0.01 W

System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Other features	
Maximum media width	215.9
Scan media weight	35 - 270 g/m²
Maximum media length	182.9 cm

Technical details	
Pallet type	800 x 1200 mm

Logistics data	
Products per pallet	240 pc(s)
Country of origin	China
Master (outer) cases per pallet	80 pc(s)
Layers per pallet	8 pc(s)
Pallet gross weight	242 kg
Pallet gross height	16.3 cm
Master (outer) cases per pallet layer	10 pc(s)
Harmonized System (HS) code	84716070



4977766800525



0012502657477



012502657477



4977766800495



4977766800549



4977766800518

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 14-NOV-2026. Prints or copies of Information are only valid on the printed Publication date