



HP LaserJet Tank MFP 2604dw Printer

Brand : HP

Product family: LaserJet

Product code: 381V0A#B19

Product name : LaserJet Tank
MFP 2604dw Printer

- Wireless; Two-sided printing; Scan to email; Scan to PDF
- Print speed up to 22ppm (black, A4)
- Up to 600 x 600 dpi

LaserJet Tank MFP 2604dw Printer

[HP LaserJet Tank MFP 2604dw Printer:](#)

Powerful productivity. Super-affordable refill. Discover business-ready capabilities and savings with HP LaserJet Tank MFP 2604dw All-in-One Printer pre-filled with up to 5,000 pages of Original HP Toner.^[1]


HP LaserJet Tank MFP 2604dw Printer. Print technology: Laser, Printing: Mono printing, Maximum resolution: 600 x 600 DPI. Copying: Mono copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Grey



Printing		Performance	
Duplex printing mode	Auto	Sound power level (printing)	6.3 dB
Print resolution black	600 x 600 DPI	Design	
Print technology *	Laser	Product colour *	Grey
Printing *	Mono printing	Market positioning *	Business
Duplex printing *	✓	Built-in display *	✓
Maximum resolution *	600 x 600 DPI	Display	LCD
Print speed (black, normal quality, A4/US Letter) *	22 ppm	Control type	Buttons
Warm-up time	40 s	Power	
Time to first page (black, normal)	8 s	Power consumption (PowerSave)	0.05 W
Print margins (top, bottom, right, left)	2 mm	Power consumption (printing)	390 W
Secure printing	✓	Power consumption (ready)	2.7 W
Copying		Power consumption (sleep)	0.51 W
Duplex copying *	✓	Power consumption (off)	0.05 W
Copying *	Mono copying	Energy Star Typical Electricity Consumption (TEC)	0.194 kWh/week
Copy speed (black, normal quality, A4)	14 cpm	AC input voltage	110 - 240 V
Time to first copy (black, normal)	15.6 s	AC input frequency	50/60 Hz
Auto fit function	✓	Brand-specific features	
Scanning		HP Auto-On/Auto-Off	✓
Duplex scanning *	✗	HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, Community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
Scanning *	Colour scanning		
Optical scanning resolution *	600 x 600 DPI	HP Software provided	
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed scanner		
Scan technology	CIS		
Scan to	TWAIN, Software		
Image formats supported	TIFF, Raw, JPEG, PNG, BMP		
Document formats supported	PDF		
Input colour depth	24 bit		
Greyscale levels	256		

Scanning		Brand-specific features	
Scan drivers	TWAIN		(ABT) 196068829070; (ABY) 195908729266; (B19) 195908729273; (BAZ) 195908729280
TWAIN version	2.1	HP GTIN (EAN/UPC) with options	
Fax			
Faxing *	✗	HP GTIN (EAN/UPC)	196068829070, 195908729266, 195908729273, 195908729280
Features		System requirements	
Recommended duty cycle	250 - 2500 pages per month	Windows operating systems supported	Windows 10, Windows 11
Maximum duty cycle *	25000 pages per month		
Duplex functions *	Print		Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Number of print cartridges *	1	Mac operating systems supported	
Printing colours *	Black		Windows Server 2008 R2 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64
Page description languages	PCLmS, PWG, URF	Server operating systems supported	
Country of origin	Vietnam	Other operating systems supported	Linux
Replacement cartridges	DM: HP 153A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 153X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages); RoEM: HP 154A Black LaserJet Tank Toner Reload Kit (Yield ~2500 pages); HP 154X Black LaserJet Tank Toner Reload Kit (Yield ~5000 pages)	Operational conditions	
		Operating relative humidity (H-H)	10 - 80%
		Recommended humidity operating range	30 - 70%
		Recommended operating temperature range (T-T)	17.5 - 25 °C
		Storage temperature (T-T)	-20 - 60 °C
HP segment	Business	Operating temperature (T-T)	15 - 32.5 °C
Input & output capacity		Certificates	
Total number of input trays *	1		CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Total input capacity *	250 sheets	Certification	
Total output capacity *	100 sheets		
Paper tray 1 input capacity	250 sheets		
Maximum number of input trays	1		
Maximum input capacity	250 sheets		
Maximum output capacity	100 sheets	Sustainability	
Paper handling		Sustainability compliance	✓
Maximum ISO A-series paper size *	A4	Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Maximum print size	216 x 355.6 mm	Sustainable technologies and materials	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
Paper tray media types *	Plain paper, Bond paper, Envelopes, Labels, Heavy paper, Lightweight paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6	Weight & dimensions	
ISO B-series sizes (B0...B9)	B5	Width	368 mm
ISO C-series sizes (C0...C9)	C5	Depth	326 mm
Non-ISO print media sizes	Executive, Legal, Letter, Oficio	Height	255 mm
JIS B-series sizes (B0...B9)	B5, B6	Weight	7.9 kg
Envelopes sizes	10, B5, C5, DL	Packaging data	
Photo paper sizes	10x15 cm	Package width	432 mm
Photo paper sizes (imperial)	4x6"	Package depth	331 mm
Custom media width	102 - 215.9 mm	Package height	388 mm
Custom media length	152 - 355.6 mm	Package weight	9.8 kg
Paper tray media weight	60 - 163 g/m²	Packaging content	
Envelope feeder	No	Cartridge(s) included	✓
Ports & interfaces		Included cartridge capacity (black)	5000 pages
Direct printing *	✓	Cables included	AC
USB port	✓		No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com or 123.hp.com #CD include HP Software Installer, Uninstaller, printer driver and other essential tools
Network		Bundled software	
Wi-Fi *	✓		
Ethernet LAN *	✓		
Cabling technology	10/100Base-T(X)		
Ethernet LAN data rates	10,100 Mbit/s		
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Wi-Fi Direct	✓		
Technical details			
Box contents		HP LaserJet Tank MFP 2604dw Printer; HP Black Original LaserJet Tank Imaging Drum (introductory ~5000 page black toner yield provided); Power Cord; Setup Guide; Reference Guide; Regulatory/Support Flyers	
Master (outer) cases per pallet layer		8 pc(s)	
Compliance certificates		GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI	
General Product Safety Regulation (GPSR) URL		https://support.hp.com/gb-en/product/details/hp-laserjet-tank-mfp-2602-2606-printer-series/model/2100846452?sku=381V0A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4620941_en-US-1.pdf ;	

Network		Other features	
Bluetooth	✓	Number of users	5 user(s)
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS	Custom media sizes	102 x 152 to 215.9 x 355.6 mm
Mobile printing technologies	Mopria Print Service, Apple AirPrint		Microsoft Windows 11; 10; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina; macOS v11 Big Sur; macOS v12 Monterey; 2 GB HD; Internet required.
Performance		Recommended system requirements	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux
Maximum internal memory	64 MB		
Internal memory *	64 MB		
Built-in processor	✓	Compatible operating systems	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux
Processor frequency	500 MHz		
Sound pressure level (printing)	49 dB	Acoustic power emissions (ready)	25 dB
		Acoustic pressure emissions bystander (ready)	16 dB
		Typical electricity consumption (TEC) number	Energy Star: 0.194Kwh/week; Blue Angel: 0.203Kwh/week
		UNSPSC-code	43212110
		Duplex ADF scanning	✗
		Electromagnetic compatibility	CISPR32:2015 & CISPR 35:2016 /EN55032:2015 - Class B; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6



0195908729273



195908729273

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2026. Prints or copies of Information are only valid on the printed Publication date