CHIEFTEC

Chieftec SCORPION 4 Tower Black



Brand : Chieftec

Product code: GL-04B-UC-OP

Product name : SCORPION 4

- 4x 120mm A-RGB Rainbow fans pre-installed
- Front mesh design for high airflow
- Slide-in TEMPERED GLASS side panel
- 3PIN +5V A-RGB M/B Sync via RGB control hub
- USB 3.2 Gen2x2 Type-C Connector

SPCC, tempered glass, 2 x 2.5"/3.5", 436 x 202.5 x 490 mm, 6.6 kg

Chieftec SCORPION 4 Tower Black:

The SCORPION 4 is the next iteration of the highly successful Scorpion gaming series by CHIEFTEC. The full Mesh front panel and four pre-installed A-RGB rainbow fans ensure even the highest performing gaming systems are well-cooled, without sacrificing on the beauty of RGB style. A tempered glass slide-to-open side panel provides a clear view on the components inside, while the A-RGB control hub allows for the lighting to be controlled via M/B Sync or via the included remote control. Building on the well-stablished foundation of the Scorpion series, the SCORPION 4 provides a great balance of airflow performance, style and functional quality.



Design	
Material	SPCC, Tempered glass
Form factor *	Tower
Type *	PC
Product colour *	Black
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX
Number of 3.5" bays *	2
Number of 2.5" bays	2
Number of expansion slots	7
Side window	✓
Suitable for	Gaming
Illumination	✓
Illumination colour	Blue, Green, Red
Illumination location	Case fans
Tempered glass panel(s)	✓
Cable management	✓
Reset button	✓
On/off button	✓
Maximum CPU cooler height	16.6 cm
Maximum graphics card length	34.9 cm

Power supply	
Power supply included *	✗
Supported power supply form factors	ATX

Ports & interfaces	
USB 3.2 Gen 2x2 Type-C ports quantity *	1

Cooling	
Front fans installed	3x 120 mm
Number of front fans supported (max)	3
Front fans diameters supported	120,240 mm
Rear fans installed	1x 120 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120 mm
Top fans diameters supported	120,240 mm
Front radiator sizes supported	280 mm
Rear radiator sizes supported	120 mm
Top radiator sizes supported	240 mm

Storage	
Supported HDD sizes *	2.5,3.5"

Weight & dimensions	
Width	202.5 mm
Depth	436 mm
Height	490 mm
Weight	6.6 kg
Material thickness	0.6 mm

Packaging data	
Package weight	8 kg

Ports & interfaces	
Audio input	✔
Audio output	✔
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2

0753263078315

753263078315

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2026. Prints or copies of Information are only valid on the printed Publication date